



Administration Office

401 E. Camp McDonald Road, Prospect Heights, IL 60070

Phone: 847.788.0551 Fax: 847.788.1248 Email: admin@rtpd.org



Ms. Tracey Crawford
Executive Director
NWSRA
3000 Central Road – Suite 205
Rolling Meadows, IL 60008

Re: Installation of an ADA Water Fountain and Accessible Washroom Doors

Hello Tracey,

Now that we have developed an exciting and innovative indoor space for artificial turf, Parkour, and archery, we need to install an accessible water fountain. The logical and centralized place for that would be located between the entries to the washrooms. Doing so would require that the entry doors to the men's and women's washrooms be relocated so that full accessible access could be maintained.

Here is how the project would be staged:


PURCHASE of Water Fountain. \$1,034.05

PHASE 1 - Installation of ADA compliant water fountain. \$1,495.07

- Install all rough plumbing for waste, vent, and water lines to new water cooler unit
- Install electrical line and box behind wall for new water cooler unit
- Replace drywall sections on wall, hang and install water cooler with bottle filler and made all connections

PHASE 2 resulting from PHASE 1 – Moving washroom doorways to meet ADA Accessibility Standards. \$5,984.00

- Remove entry walls.
- Remove doors in bath both restrooms, save doors and jams.
- Build both wall openings to accept saved doors and jams.
- Install new 2" base and tile floor in areas needed.
- Women's right hand swing door to be installed in new men's opening.
- Men's left hand swing door to be installed in women's new opening.
- All walls to be prepped for painting. One coat prime and 2 coats of RTPD supplied paint to match as close as possible.




NORTH

1 INCH = 27.13 FT.


RIVER TRAILS PARK DISTRICT
550 BUSINESS CENTER DRIVE MT. PROSPECT, ILLINOIS

PROJECT
AREA

BEFORE



AFTER



Service Proposal

1981 Johns Drive
 Glenview, IL 60025
 847-542-5447

Date	Estimate #
8/18/2016	368

Name / Address
 River Trails Park District
 401. E. Camp McDonald Rd.
 Prospect Heights, IL 60070

P.O. No.	Project

Description	Total
Scope of work: 550 Business Center Drive Mt. Prospect, Illinois 60056-1570 Phase 1- Installation of ADA compliant water fountain Phase 2 resulting from phase 1 - Moving washroom doorways to meet ADA accessibility standards -Remove west wall in mens room. -Remove doors in both restrooms, save doors and jams. -Demo and build wall opening to accept saved doors and jams. -Build new wall set back approximately 14" deep to accommodate lockers. -Build new wall in women's room (possible cubbies installed in future) -Install new 2" base and tile floor in areas needed. -Womens right hand swing door to be installed in new men's opening. -Mens left hand swing door to be installed in women's new opening. -All walls to be prepped for painting. One coat prime and 2 coats of RTPD supplied paint to match as close as possible. Labor not to exceed: **Materials supplied by River Trails Park District **Phase 1 not included on this proposal	5,984.00
Total	\$5,984.00

John Redmond
 President & Project Manager

Accepted Sign & Date *J. Thomas Pope 8/25/16*

**Any unforeseen conditions will be brought to the property owner/representative's attention. Unforeseen conditions that result in additional work will incur additional costs on a Time & Material basis. The site foreman will present all conditions to the property owner/representative and the property owner/representative's will be required to sign Change Order sheets for any additional work. By signing Change Order sheets property owner/representative agrees to pay for all material and labor necessary to complete additional work. All Time & Material work will be billed separately and in addition to accepted contract work. If purchaser shall default in any payment or other obligations herein, purchaser agrees to pay for any and all cost of collection, including attorney fees and court costs. Past due payments are subject to a finance charge at a periodic rate of 1/2% per month (annual percentage rate of 18%) on balance outstanding.

Service Proposal

1981 Johns Drive
 Glenview, IL 60025
 847-542-5447

Date	Estimate #
8/18/2016	367

Name / Address
 River Trails Park District
 401. E. Camp McDonald Rd.
 Prospect Heights, IL 60070

Project

Description	Rate	Qty	Total
Scope of work: 550 Business Center rd Phase I ADA Water Fountain -Removed drywall cutout to access waste and water piping in plumbing wall -Shutdown main water supply, cut in opening on cold side with new shutoff valve and angle stop valve. -Install all rough plumbing for waste, vent, and water lines to new water cooler unit -Installed electrical line and box behind wall for new water cooler unit -Replaced drywall sections on wall, hung and installed water cooler with bottle filler and made all connections	1,495.07		1,495.07
Total			\$1,495.07

John Redmond
 President & Project Manager

Accepted Sign & Date 8/28/16

Thomas Page

**Any unforeseen conditions will be brought to the property owner/representative's attention. Unforeseen conditions that result in additional work will incur additional costs on a Time & Material basis. The site foreman will present all conditions to the property owner/representative and the property owner/representative's will be required to sign Change Order sheets for any additional work. By signing Change Order sheets property owner/representative agrees to pay for all material and labor necessary to complete additional work. All Time & Material work will be billed separately and in addition to accepted contract work. If purchaser shall default in any payment or other obligations herein, purchaser agrees to pay for any and all cost of collection, including attorney fees and court costs. Past due payments are subject to a finance charge at a periodic rate of 1/2% per month (annual percentage rate of 18%) on balance outstanding.



MICHAEL WAGNER & SONS, INC.

PLUMBING & HEATING SUPPLIES

2321 S. FOSTER AVENUE, WHEELING, ILLINOIS 60090-6510

PHONE: (847) 398-5308

FAX: (847) 398-5348

PO: 186602

WEBSITE: www.mwsp plumbing.com

ST. ORDER NUMBER	ORDER DATE	PHONE NUMBER	SHIP DATE	CUSTOMER CODE	INVOICE DATE	SALESPERSON	INVOICE #
	07/19/16	847-463-3720		RIVE70	07/22/16	TJ	1385241

SOLD TO

RIVER TRAILS PARK DISTRICT
1500 E EUCLID AVE
MT PROSPECT IL 60056-1570

SHIP TO

FREIGHT PENDING
ONE WEEK LEAD TIME TO SHIP
BOB 847.366.9707

B/O	ORD	SHIP	PROD. CODE	DESCRIPTION	LIST	DISCOUNT	NET EACH	NET TOTAL
	1	1		ELKAY EZ58WSSK W/BOTL FIL	1555.00	33.54	1034.05	1034.05
				NON FILTERED UNIT				
				NEW WEEKDAY HOURS (STARTING SEPTEMBER 2, 2013) 6:30 AM to 4:30 PM				
<p><i>The Zone Drinking Fountain</i></p> <p>42 40.80 90.870.5710 91670</p> <p>FIA Zone</p>								



see what Delta can do



PUMP COMPANY



SUB TOTAL	1034.05
FREIGHT	
TAX	
TOTAL	1034.05

RETURNS ARE SUBJECT TO A HANDLING CHARGE. NO RETURNS AFTER 30 DAYS.
A LATE CHARGE OF 1 1/2% PER MONTH, ANNUAL RATE 18%, (OR THE LEGAL MAXIMUM, WHICHEVER IS LESS) WILL BE ADDED TO ALL PAST DUE ACCOUNTS.

DO NOT PAY FROM BLUE-BACKGROUND INVOICE.

SHIPPED



ELKAY

INSTALLATION, CARE & USE MANUAL

EZS8WS EZH2O™ BOTTLE FILLING STATION & COOLER


IMPORTANT

THIS IS AN INDOOR APPLICATION ONLY.
ALL SERVICE TO BE PERFORMED BY AN
AUTHORIZED SERVICE PERSON.

TOOLS REQUIRED

BUT NOT PROVIDED:

SAFETY GLASSES
GLOVES
ELECTRIC DRILL
3/4" WRENCH OR CRECENT WRENCH
5/16" NUT DRIVER
UTILITY KNIFE
TAPE MEASURE
PENCIL
CENTER PUNCH
1/2" SOCKET & RATCHET WRENCH
5/32" ALLEN WRENCH




IMPORTANT! INSTALLER PLEASE NOTE.

THE GROUNDING OF ELECTRICAL EQUIPMENT SUCH AS TELEPHONE, COMPUTERS, ETC. TO WATER LINES IS A COMMON PROCEDURE. THIS GROUNDING MAY BE IN THE BUILDING OR MAY OCCUR AWAY FROM THE BUILDING. THIS GROUNDING CAN CAUSE ELECTRICAL FEEDBACK INTO A FOUNTAIN, CREATING AN ELECTROLYSIS WHICH CAUSES A METALLIC TASTE OR AN INCREASE IN THE METAL CONTENT OF THE WATER. THIS CONDITION IS AVOIDABLE BY USING THE PROPER MATERIALS AS INDICATED. ANY DRAIN FITTINGS PROVIDED BY THE INSTALLER SHOULD BE MADE OF PLASTIC TO ELECTRICALLY ISOLATE THE FOUNTAIN FROM THE BUILDING PLUMBING SYSTEM. WE SUGGEST THAT THE BOTTLE FILLING STATION AND WATER COOLER BE PROTECTED BY A GROUND FAULT CIRCUIT INTERRUPTER (GFCI).


INSTALLER

EZS8WS Bottle Fillers are among the easiest to install on the market today. To insure you install these models easily and correctly, PLEASE READ THESE SIMPLE INSTRUCTIONS BEFORE STARTING THE INSTALLATION. CHECK YOUR INSTALLATION FOR COMPLIANCE WITH PLUMBING, ELECTRICAL, AND OTHER APPLICABLE CODES. After installation, leave these instructions with the Fountain for future reference.

EZS8WS*1A EZS8WS*2A EZS8WS*3A EZSDWS*1A
 EZSTL8WS*1A EZSTLR8WS*1A EZSTL8WS*2A EZSTL8WS*3A EZSTLDWS*1A



Single Rough-In
 Fig. 1



Two -Level Rough-In
 Fig. 2



**PROSPECT HEIGHTS
PARK DISTRICT**

(847) 394-2848
Fax (847) 394-7799

110 W. Camp McDonald Road, Prospect Heights, Illinois 60070

November 3, 2016

Tracey Crawford
Executive Director
Northwest Special Recreation Association
3000 Central Road, Suite 205
Rolling Meadows, IL 60008

Re: Improvements proposed to be financed using special recreation levy

Dear Ms. Crawford:

The Prospect Heights Park District hereby notifies and requests approval of the NWSRA Board of Directors for the proposed expenditure of funds from the District's special recreation levy to pay the cost of the following improvement:

The Lions Park playground, 110 West Camp McDonald Road in Prospect Heights, has been improved with the installation of accessible play equipment. Utilizing the National Purchasing Partners (NPP) discount, the play equipment was purchased through PlayWorld Systems, Inc. and the ground cover was purchased through Reese Recreation Products. These improvements will provide new ADA accessible play opportunities where none previously existed such as accessible stepped platforms with handholds, cow-catcher slide providing sensory stimulation, etc. The surface is woodfiber meaning that the fibers are knit together to provide a surface springy enough to cushion falls, yet firm enough for wheelchairs for impact absorption, and F1951, which provides access for the physically challenged

The total cost is \$116,488.62 for the play equipment and installation (\$114,438.62) and the playground surfacing (\$2,050.00). The improvements are expected to be substantially complete by November 15, 2016.

The Prospect Heights District respectfully requests that you review this request and present it with your approving recommendation to the NWSRA Board of Directors.

Sincerely,

Christina Ferraro, Executive Director
Prospect Heights Park District

cc: Board of Park Commissioners



October 17, 2016

Mrs. Christina Ferraro, Executive Director
Prospect Heights Park District
110 W. Camp McDonald Road
Prospect Heights, IL 60070

RE: Lions Park Playground

Dear Mrs. Ferraro,

Last week our local sales representative, Sue Koch, inspected the installation of the Playworld play equipment at Lions Park. Sue reported that the Playworld equipment appears has been installed according to the manufacturer's installation instructions. The concrete footings and anything below the safety surfacing were not inspected.

Please refer to the maintenance information provided with the Playworld equipment for routine safety and wear inspections to maintain a safe playground.

Feel free to call me if you have any questions or if you need assistance with anything pertaining to the Playworld equipment.

Kind regards,

A handwritten signature in black ink, appearing to read "J. Myers", with a long horizontal flourish extending to the right.

Joshua Myers
Eastern Regional Sales Manager
1000 Buffalo Rd.
Lewisburg, PA 17837
+1 (570) 522-9800 x5456

The world needs play.

1000 Buffalo Road | Lewisburg, PA 17837 | Toll Free: 800.233.8404 | Tel: +1.570.522.9800 | Fax: +1.570.522.3030 | PlayworldSystems.com



September 8, 2016

Ms. Christina Ferraro, Executive Director

Prospect Heights Park District
110 West Camp McDonald Road
Prospect Heights, IL 60070

Re: Playworld Design Number: 16-1422B.RRP

Dear Ms. Ferraro

Playworld Systems has designed the above referenced product to meet or exceed the recommendations given in ASTM F1487-11 titled **Standard Consumer Safety Performance Specification for Playground Equipment for Public Use**. This statement of compliance pertains to the equipment only; it does not apply to the installation, site layout, resilient surfacing material or maintenance of the equipment.

The above referenced product was also designed to meet the **DOJ 2010 Standard (28 CFR 35.1510 and 28 CFR 36.406); Sections 240 & 1008 Play Areas**, published by the **Department of Justice** in September 2010, when installed over an properly maintained surfacing material in compliance with ASTM F1951 **Accessibility of Surface Systems Under and Around Playground Equipment**. Refer to the ADA Schedule on the playground plan view for specific ground level and elevated component counts.

Compliance with the above standard and guidelines requires that the owner/operator install equipment per the manufacture's installation instructions and also provide protective surfacing within the use zone of each play structure in accordance with ASTM Specification F1292 titled **Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment**, appropriate for the fall height of each structure.

Maintenance of the play equipment and play areas is the responsibility of the owner/operator of the playground. The owner/operator shall maintain the protective surfacing within the use zone of each play structure in accordance with ASTM specification F1292 appropriate for the fall height of each structure. The owner/operator shall also maintain the protective surfacing material within the use zone of each play structure free from extraneous materials that could cause injury, infection or disease.

It is also the responsibility of the owner/operator to establish and maintain detailed installation, inspection, maintenance, and repair records for each public-use playground equipment area.

Sincerely,

A handwritten signature in black ink, appearing to read "J. Kazakavage".

James C. Kazakavage, CPSI
Playology Team Manager
Playworld



1000 Buffalo Road, Lewisburg, PA 17837-9795 U.S.A
 570-522-9800 1-800-233-8404
 Fax: 570-522-3030 email: orders@playworldsystems.com

THANK YOU FOR YOUR PROMPT PAYMENT

INVOICE NO.	INVOICE DATE
AR203854	07/01/2016

SOLD TO:

PROSPECT HEIGHTS PARK DISTRICT
 110 W CAMP MCDONALD ROAD
 PROSPECT HEIGHTS, IL 60070

SHIP TO:

PROSPECT HEIGHTS PARK DISTRICT
 110 W CAMP MCDONALD ROAD
 ATTN: DINO SQUIRES
 PROSPECT HEIGHTS, IL 60070

ORDER NO.	CUSTOMER NO.	SHIP DATE	SHIP VIA	PURCHASE ORDER NO.
1605858	X-NPP047			22786
QTY SHIPPED	PART NO./DESCRIPTION/COLORS	UNIT PRICE	EXTENDED PRICE	
1.00	Playworld Equipment per 16-1422B	\$30,675.00	\$30,675.00	
1.00	Unity Teeter Tunnel	\$6,900.00	\$6,900.00	
1.00	Unity Rushmore	\$18,540.00	\$18,540.00	
2.00	Toddler Curved Bench	\$571.00	\$1,142.00	
2.00	Talking Bob	\$2,995.00	\$5,990.00	
1.00	Spinami (Jaycee)	\$3,978.00	\$3,978.00	
1.00	Tri-Geo Climber	\$3,241.00	\$3,241.00	
1.00	Play Express Engine	\$7,266.00	\$7,266.00	
	NPP Discount		<u>(\$6,995.88)</u>	
			\$70,736.12	
1.00	Installation of Equipment @ Lion's Park		\$29,500.00	
1.00	Provide & Install PIP Rubber Surfacing		\$12,800.00	
1.00	FREIGHT		\$1,402.50	
	SOLD THROUGH: REESE RECREATION 1-800-222-2268 PLEASE REMIT TO: PLAYWORLD SYSTEMS, INC 1000 BUFFALO ROAD LEWISBURG, PA 17837 1-570-522-9800			

TERMS: NET 30 DAYS, PREPAID FREIGHT

DISCOUNT TERMS DO NOT APPLY ON PAST DUE ACCOUNTS
 Past due balances are subject to a 1% monthly FINANCE CHARGE.
 This amounts to an ANNUAL PERCENTAGE RATE of 12%.

TOTAL:

\$114,438.62

Reese Recreation
 Products, Incorporated
 3327 North Ridge Avenue
 Arlington Heights, IL 60004-1488
 847-398-2992
 Toll Free 800-222-2268

Invoice

Invoice Number:
 12278

Invoice Date:
 Jul 25, 2016

Page:
 1

Sold To:
 Prospect Heights Park District
 110 Camp McDonald Road
 Prospect Heights, IL 60070


Ship to:
 Prospect Heights Park District
 Dino for Lion's Park
 110 Camp McDonald Road
 Prospect Heights, IL 60070

Customer ID		Customer PO		Payment Terms	
55ILProspectHeight				Net 30 Days	
Sales Rep		Shipping Method		Ship Date	Due Date
In-House		Best Way		7/25/16	8/24/16
Qty.	Item	Description	B.O. Qty	Unit Price	Extension
100	Woodfiber	100cy of Woodfiber delivered		20.50	2,050.00

Check No:

Subtotal	2,050.00
Sales Tax	
Freight	
Total Invoice Amount	2,050.00
Payment Received	0.00
TOTAL	2,050.00 ✓





September 19, 2016

Tracey Crawford
Executive Director
Northwest Special Recreation Association
3000 Central Road, Suite 205
Rolling Meadows, IL 60008

Re: Improvements proposed to be financed using special recreation levy

Dear Ms. Crawford:

The Palatine Park District hereby notifies and requests approval of the NWSRA Board of Directors for the proposed expenditure of funds from the District's special recreation levy, to pay the cost of the following improvement.

The Palatine Park District has hired an engineering firm to design and supply specifications for the installation of an accessible path from the public sidewalk, to the pavilion, basketball court and bike trail.

The estimated cost of the engineering is \$4,725. This cost is for 75% of the engineering fees. The engineering has been completed. The construction of the paths will be scheduled for 2017. Anticipated benefits of the project to NWSRA are as follows:

The path will allow accessibility from the public sidewalk to the pavilion and basketball court and bike trail at Ashwood Park located at 710 N. Wren. This path will serve all age groups.

The District respectfully requests that you review this request and present it with your approving recommendation to the NWSRA Board of Directors. If you have any questions or require additional information, please do not hesitate to contact me.

Very truly yours,

A handwritten signature in black ink, appearing to read "Michael Clark".

Michael Clark
Executive Director

cc: Board of Park Commissioners



INVOICE

Ed Tynczuk
Superintendent of Parks & Planning
Palatine Park District
148 Illinois Street
Palatine, IL 60067

February 06, 2016
Invoice No: F0285.R0528 - 0025397

Project F0285.R0528 Palatine Park District - Ashwood Park
Plans, specifications and estimates for accessible paths at Ashwood Park between the public sidewalk, pavillion, parking lot basketball court and bicycle path. Work includes resurfacing of the basketball court.

Professional Services from December 26, 2015 to January 29, 2016

Task 001 Design Services

Fee			
Total Fee	6,300.00		
Percent Complete	100.00	Total Earned	6,300.00
		Previous Fee Billing	1,575.00
		Current Fee Billing	4,725.00
		Total Fee	4,725.00
		Total this Task	\$4,725.00
		Total this Invoice	\$4,725.00

Palatine Park District


Path and Court Improvements

at Ashwood Park

710 Wren Avenue

Palatine, Illinois
PROJECT NO. F0285-R0528

LOCATION MAP
NOT TO SCALE



LEGEND	
EXISTING	PROPOSED
COMBINED SEWER	PROPERTY LINE
WATER MAIN	PROPERTY LINE
SAINTARY SEWER	WATER SERVICE BOX
WATER MAIN	HYDRANT
SAINTARY SEWER	VALVE W/VALT
SAINTARY SEWER	GAS VALVE
SAINTARY SEWER	LIGHT FIXTURE
SAINTARY SEWER	POWER POLE
SAINTARY SEWER	ELEVATION
SAINTARY SEWER	GRABE CONTOUR
SAINTARY SEWER	FLOW / ARROW
SAINTARY SEWER	HIGH POINT
SAINTARY SEWER	TREE TO BE REMAIN
SAINTARY SEWER	TREE TO BE REMOVED
SAINTARY SEWER	BUSHES
SAINTARY SEWER	SIEN
SAINTARY SEWER	MAIL BOX

LEGEND INDICATES GENERAL, THESE AND OTHER
PLAN NOTION SHALL COVER
MATERIALS SPECIFIC THE PROJECT FOR REFERENCE

FIELD VERIFY ALL UTILITIES

THE LOCATION OF ALL UTILITIES SHOWN ON THIS PLAN SHALL BE VERIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EXACT LOCATION AND ELEVATION OF ALL UTILITIES. THE CONTRACTOR SHALL VERIFY THE LOCATION AND DEPTH OF ALL UTILITIES TO BE REMOVED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EXACT LOCATION AND ELEVATION OF ALL UTILITIES TO BE REMOVED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EXACT LOCATION AND ELEVATION OF ALL UTILITIES TO BE REMOVED.

ED TYNYSAK
 MECHANICAL ENGINEER
 STATE OF ILLINOIS
 LICENSE NO. 042-037394
 EXPIRES 12/31/2019

REFERENCED STANDARDS

THE FOLLOWING CODES AND SPECIFICATIONS ARE INCORPORATED INTO THIS PROJECT BY REFERENCE. CODES AND SPECIFICATIONS SHALL BE CONSIDERED MINIMUM CONTRACTOR REQUIREMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LATEST EDITIONS OF ALL REFERENCED STANDARDS. THE MOST CURRENT EDITION SHALL APPLY. IF NO SPECIFIC EDITION IS INDICATED, THE CONTRACTOR SHALL USE THE MOST CURRENT EDITION.

- 2014 DOT STANDARD SPECIFICATIONS FOR ROADWAY CONSTRUCTION
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR WATER AND SEWER CONSTRUCTION
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR ELECTRICAL CONSTRUCTION
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR PLUMBING CONSTRUCTION
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR STRUCTURAL STEEL CONSTRUCTION
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR ASPHALT PAVING
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR CONCRETE PAVING
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR GRASS AND LANDSCAPE
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR SIGNAGE
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR UTILITIES
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR TRAFFIC CONTROL
- 2014 ILLINOIS STANDARD SPECIFICATIONS FOR TREE PRESERVATION

DUTY TO INDEMNIFY

THE CONTRACTOR SHALL DEFEND, INDEMNIFY, KEEP AND SAVE HARMLESS THE MUNICIPALITY, OWNER AND ENGINEER, AND THEIR RESPECTIVE BOARD MEMBERS, REPRESENTATIVES, AGENTS AND EMPLOYEES, IN BOTH INDIVIDUAL AND JOINT CAPACITY, AGAINST ALL SUCH CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, CAUSED BY, GROWING OUT OF, OR RESULTING FROM THE PERFORMANCE OF THE WORK UNDER THE CONTRACT BY THE CONTRACTOR OR ITS SUBCONTRACTORS TO THE FULL EXTENT AS ALLOWED BY THE LAWS OF THE STATE OF ILLINOIS AND NOT BEYOND ANY EXTENT WHICH IS NOT LIMITED TO THE ILLINOIS LAWS AND STATUTES. THIS INDEMNIFICATION SHALL NOT BE LIMITED TO THE ILLINOIS LAWS AND STATUTES. THIS INDEMNIFICATION SHALL NOT BE LIMITED TO THE ILLINOIS LAWS AND STATUTES. THIS INDEMNIFICATION SHALL NOT BE LIMITED TO THE ILLINOIS LAWS AND STATUTES.

INDEX OF SHEETS

NO.	DESCRIPTION
1	COVER SHEET
2	EXISTING SITE CONDITIONS & DEMOLITION
3	PAVING AND GRADING PLAN
4	PROFILE, NOTES AND DETAILS

CONTROL

Horizontal Control:
Illinois State Plane Coordinates, East Zone
NAD 1983
Vertical Control:
U.S.G.S. NAD 83, 1988
Derived from 1988s VMS Network, 2009 Adjustment

OWNER CONTACT

Ed Tynysak
Superintendent of Parks
Palatine Park District
148 W. Illinois Avenue
Palatine, IL 60067
(847) 705-5130

INSPECTIONS REQUIRED


THE CONTRACTOR SHALL SCHEDULE ANY INSPECTIONS REQUIRED THROUGHOUT CONSTRUCTION OF THE PROPOSED IMPROVEMENTS.

I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF ILLINOIS.

DRAWN BY: MLC
APPROVED BY: MSO
DATE: 1/14/2016


1/19/2016 FOR CLIENT REVIEW - NOT FOR CONSTRUCTION

NO.	REVISION	DATE



FIELD VERIFY ALL UTILITIES

THE LOCATION OF ALL UTILITIES INDICATED ON THIS PLAN IS BASED ON RECORD DRAWINGS AND FIELD SURVEY. THE LOCATION AND DEPTH OF ALL UTILITIES MUST BE DETERMINED BY THE CONTRACTOR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATION AND DEPTH OF ALL UTILITIES FROM WHATEVER ANY ADDITIONAL FACILITIES OTHER THAN THOSE SHOWN ON THE PLAN MAY BE PRESENT.



PLAN - EXISTING CONDITIONS

1/19/2016 FOR CLIENT REVIEW - NOT FOR CONSTRUCTION


SHEET NO. 2 OF 4
FILE NAME: 151717

Existing Conditions Plan & Profile
Palatine Park District - Path & Court Improvements
Ashwood Park, Palatine, IL


Ament DESIGN
Ament Design
2025 S. Arlington Heights Road
Arlington Heights, IL 60005
ph. 847.231.9111
fx. 847.231.0599

DRAWN BY: MLC
APPROVED BY: MSO
DATE: 1/14/2016

NO.	REVISION	DATE



FIELD VERIFY ALL UTILITIES
 THE LOCATION OF ALL UTILITIES INDICATED ON THE PLANS IS AN APPROXIMATE LOCATION ONLY. THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES PRIOR TO CONSTRUCTION. IF THE LOCATION OF ANY UTILITIES IS FOUND TO BE DIFFERENT FROM THAT SHOWN ON THE PLANS, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FOR ANY UTILITIES OTHER THAN THOSE SHOWN ON THE PLANS MAY BE PRESENT.



PLAN - PAVING AND GRADING

1/19/2016 FOR CLIENT REVIEW - NOT FOR CONSTRUCTION

SHEET NO. 3 OF 4 DATE: 1/19/2016	Paving and Grading Plan Palatine Park District - Path & Court Improvements Ashwood Park, Palatine, IL	Ament Design 2025 S. Arlington Heights Road Arlington Heights, IL 60005 TEL: 847.938.0500 FAX: 847.938.0505 E-MAIL: info@amentdesign.com	DRAWN BY: MLC APPROVED BY: MSO DATE: 1/14/2016	NO. _____ REVISION _____ DATE _____
	PROJECT NO. _____			

GENERAL NOTES:


1. THE CONTRACTOR SHALL PROVIDE ALL MATERIAL, EQUIPMENT AND RELATED WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE STANDARD SPECIFICATIONS FOR TRANSPORTATION STRUCTURES FOR THE STATE OF MARYLAND.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
3. THE CONTRACTOR SHALL INDEMNIFY THE OWNER ENGINEER AND ARCHITECT FROM AND AGAINST ALL CLAIMS AND THE REQUIREMENTS OF THE LOCAL JURISDICTION.
4. THE CONTRACTOR SHALL NOTIFY THE OWNER AND ARCHITECT AT LEAST TWO WORKING DAYS PRIOR TO BEGINNING ANY CONSTRUCTION.
5. THE LOCATION OF EXISTING UTILITIES SHOWN ON THE PLANS ARE FOR INFORMATION ONLY. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OR PROTECTION OF ALL UTILITIES WITHIN THE WORK AREA.
6. DURING CONSTRUCTION OF THE STRUCTURE, THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITIES AND STRUCTURES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL UTILITIES AND STRUCTURES THAT ARE INTERFERED BY THE CONSTRUCTION.
7. PRIOR TO COMMENCING WITH ANY CONSTRUCTION OPERATIONS ON THE PROJECT, THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
11. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
13. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
14. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
15. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
17. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.
18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION AND THE STATE OF MARYLAND.

SEDIMENTATION AND EROSION CONTROL NOTES:

- The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
1. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 2. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 3. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 4. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 5. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 6. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 7. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 8. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 9. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 10. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 11. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 12. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 13. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 14. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 15. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 16. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 17. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 18. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 19. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 20. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.

IEPA PUBLIC ACT 96-141B:

- The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
1. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 2. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 3. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 4. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 5. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 6. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 7. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 8. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 9. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 10. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 11. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 12. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 13. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 14. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 15. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 16. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 17. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 18. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.
 19. The Contractor shall install and maintain all erosion and sedimentation control measures in accordance with the Maryland Department of the Environment (MDE) and the National Pollution Discharge Elimination Act (NPDES) and as detailed in the permit.
 20. The Contractor shall be responsible for obtaining all necessary permits and approvals from the local jurisdiction and the State of Maryland.




TYPICAL SECTION - ASPHALT PAVEMENT



1/19/2016 FOR CLIENT REVIEW - NOT FOR CONSTRUCTION

Profile, Notes and Details Palatine Park District - Path & Court Improvements Ashwood Park, Palatine, IL	Ament DESIGN	2025 E. Algonquin Road Palatine, IL 60067 630.351.2525 www.amentdesign.com	DRAWN BY: MLC APPROVED BY: MSO DATE: 1/14/2016	NO.	REVISION	DATE
--	-----------------	---	--	-----	----------	------



September 19, 2016

Tracey Crawford
Executive Director
Northwest Special Recreation Association
3000 Central Road, Suite 205
Rolling Meadows, IL 60008

Re: Improvements proposed to be financed using special recreation levy

Dear Ms. Crawford:

The Palatine Park District hereby notifies and requests approval of the NWSRA Board of Directors for the proposed expenditure of funds from the District's special recreation levy, to pay the cost of the following improvement.

The Park District has contracted the installation of a Landscape Structures playground with accessible features and accessible entry area to replace an existing structure. The playground is primarily designed for children from ages 2-12. This property is located at the Tom T. Hamilton Sports Complex located at 1037 N. Smith Street in Palatine Illinois.

The entire cost of the project is \$149,068 of which \$42,289.09 is designated for ADA improvements. This represents 28% of the total cost of the park development. The installation of the playground equipment is expected to be substantially complete by October 2016. Anticipated benefits of the project to NWSRA are as follows:

The walkway will allow people with mobility challenges to access the playground. The playground will also have components and amenities to allow patrons with disabilities to enjoy the facility.

The District respectfully requests that you review this request and present it with your approving recommendation to the NWSRA Board of Directors. If you have any questions or require additional information, please do not hesitate to contact me.

Very truly yours,

Michael Clark
Executive Director

cc: Board of Park Commissioners



Hamilton Park
Palatine Park District

#510

Prepared Date: 07/20/2016

SITE PLAN

PROJECT COMPONENTS	QUANTITY	UNIT	COST	EXTENSION	ADA Costs
General Conditions	1	LS	\$ 8,127.00	\$ 8,127.00	
Construction Fencing - By Owner	1	LS	\$ -	By Owner	
General Removals - By Owner	1	LS	\$ -	By Owner	
Sawcut and Miscellaneous Removals	1	LS	\$ 1,000.00	\$ 1,000.00	\$ 250.00
Concrete Paving	333	SF	\$ 8.00	\$ 2,664.00	\$ 2,664.00
Concrete Curb at Playground	31	LF	\$ 28.00	\$ 868.00	
Install Playground Equipment (42%)	1	LS	\$ 41,612.34	\$ 41,612.34	\$ 10,403.09
Purchase Playground Equipment	1	LS	\$ 99,077.00	\$ 99,077.00	\$ 24,769.25
Trash Receptacle - Purchase and Install	2	EA	\$ 2,107.00	\$ 4,214.00	\$ 1,053.50
Bench - Purchase and Install	3	EA	\$ 1,519.00	\$ 4,557.00	\$ 1,139.25
4" Perf. Playground Underdrainage	405	LF	\$ 18.00	\$ 7,290.00	\$ 1,822.50
4" SDR 26 Pipe	0	LF	\$ 18.00	\$ -	
Drain Cleanout	1	EA	\$ 750.00	\$ 750.00	\$ 187.50
Connection to Existing Structure	0	EA	\$ 750.00	\$ -	
Landscape Restoration	1	LS	\$ 500.00	\$ 500.00	
Subtotal				\$ 170,659.34	\$ 42,289.09
Design / Bid Contingency (5%)				\$ 8,532.97	Year 2016
CONSTRUCTION BID TOTAL				\$ 179,192.31	
Alternate 2016					
PROJECT COMPONENTS	QUANTITY	UNIT	COST	EXTENSION	
Compacted Gravel	6,333	SF	\$ 3.50	\$ 22,165.50	\$ 22,165.50
2017 Construction					
PROJECT COMPONENTS	QUANTITY	UNIT	COST	EXTENSION	
Poured In Place Safety Surface	6,302	SF	\$ 15.50	\$ 97,681.00	\$ 97,681.00
GRAND TOTAL				\$ 299,038.81	Year 2017 #####



148 W. Illinois Avenue
Palatine, Illinois 60067
Phone: 847-353-3130

PROJECT Chickadee Park Development & Hamilton Park Playground Renovation

PROJECT TEAM

uplandDesign Ltd
Park Planning and Landscape Architecture
1920 W. Randolph St., Chicago, Illinois 60624
773.443.4000
815.254.0091 www.uplanddesign.com

Hamilton Park

SHEET TITLE
**Existing
Conditions &
Removals Plan 2.1**


SHEET NUMBER	2.1
DRAWING REVISION	
SCALE	AS SHOWN
DATE	11/18/2016
DRAWN BY	
CHECKED BY	
DESIGNED BY	
PROJECT NO.	

Palatine, Illinois 60067
© Copyright 2016 Upland Design, Ltd.
1920 W. Randolph St., Chicago, IL 60624


GENERAL NOTES: EXISTING CONDITIONS & REMOVALS

- The Contractor is to locate all utilities, public and private, prior to beginning construction. Contractor will be responsible for any damage to utilities caused by their work. Contact I.U.L.I.E. 72 hours prior to construction for location of all utilities and contractor shall be responsible for restoration to original condition.
- Site conditions are shown based upon available information; contractor to verify all existing conditions prior to bidding.
- Contractor shall be responsible for the protection of all existing utilities even though they may not be shown on the plans. Any utility damaged during the construction shall be repaired or replaced to the satisfaction of the Owner at the contractor's expense. No tree shall be planted within 10' lateral feet of any underground utility, sewer line, transmission line or other utility.
- Contractor shall be responsible for the protection of all existing trees on the site. The contractor is responsible for verifying all grades and slopes before installation. Any discrepancies shall be brought to the attention of the Owner and Owner's representative immediately.
- Contractor shall be responsible for the protection of all existing trees on the site. The contractor is responsible for verifying all grades and slopes before installation. Any discrepancies shall be brought to the attention of the Owner and Owner's representative immediately.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.
- The Contractor shall protect and preserve all existing trees and any other natural resources.


REMOVALS LEGEND



1 Inlet Protection
SCALE: NTS
SCALE: 1" = 10'-0"
4-2024 (REV) 1/2



SCALE: 1" = 10'-0"
0 5 10 20 30'



ALL REMOVALS SHALL BE BY OWNER. CONTRACTOR TO COORDINATE SAWCUTTING WITH OWNER



148 W. Illinois Avenue
Palatine, Illinois 60067
Phone: 847-705-5130

PROJECT

Chickadee Park & Hamilton Park Playground Renovation

PROJECT TEAM



uplandDesign ltd
Park Planning and Landscape Architecture
26071 Lockport St., Plainfield, Illinois 60544
815-334-0091 www.uplanddesign.com

Hamilton Park

Layout Plan

SHEET NUMBER **2.2**

DRAW / REVISION

REV. NO.	DESCRIPTION	DATE
1	ISSUED FOR SET	JAN 2018

Sheet Number: 2.2
© Copyright 2018 Upland Design, LLC
All Rights Reserved. Palatine, IL 60067

GENERAL NOTES: LAYOUT

- It is the responsibility of the Contractor to perform layout of all project elements and points of construction. The Contractor shall be responsible for the accuracy of all layout points and for the accuracy of the layout. The Contractor shall be responsible for the accuracy of the layout. The Contractor shall be responsible for the accuracy of the layout.
- Paving shall be formed to provide a smooth transition into adjacent areas. Dimensions are to base of curb and edge of pavement unless otherwise noted.
- Dimensions are in feet or degrees. Dimensions are perpendicular to parallel unless otherwise noted.
- All foot curbs shall be 4" high, 4" wide and spaced at 16" on center (OC) per appropriate specifications. All expansion joints shall be installed in accordance with the manufacturer's specifications.
- Transverse between paving types (i.e. concrete to asphalt) shall be smooth. Transitions not to be formed in a "V" shape.
- All footings shall be a minimum of 4" deep below finished grade. When the construction documents or manufacturer specifies deeper footings, those dimensions supersede this note.
- Rebar shall be to be smooth and meet with no sharp or awkward changes to grade.
- Paving to meet adjacent grades firm and smooth.
- No excavations are to be left open to foul weather, rain, snow, etc. which would necessitate the Contractor to be responsible for all materials and quantities as required to complete the work in accordance with the plans and specifications. The Contractor will notify the Owner's Representative in writing of any discrepancies or changes required to complete the work. The Contractor shall be responsible for all materials and quantities as required to complete the work. The Contractor shall be responsible for all materials and quantities as required to complete the work.
- The Contractor shall be responsible for all materials and quantities as required to complete the work. The Contractor shall be responsible for all materials and quantities as required to complete the work.
- In case of conflict, the more restrictive provision shall apply.

REFERENCED SPECIFICATIONS AND CODES


- The Standard Specifications for Road and Bridge Construction (SSRBC), adopted April 1, 2017, as amended, published by the Illinois State Board of Transportation, shall apply to all construction work.
- The Illinois Department of Transportation (IDOT) Standard Specifications for Road and Bridge Construction, published by the Illinois Department of Transportation, shall apply to all construction work.
- The Illinois Department of Transportation (IDOT) Standard Specifications for Road and Bridge Construction, published by the Illinois Department of Transportation, shall apply to all construction work.
- U.S. Soil Conservation Service Field Engineering Handbook
- The Illinois Department of Transportation (IDOT) Standard Specifications for Road and Bridge Construction, published by the Illinois Department of Transportation, shall apply to all construction work.
- All requirements of the Occupational Safety and Health Administration (OSHA) shall apply to all construction work.
- The Contractor shall be responsible for all materials and quantities as required to complete the work. The Contractor shall be responsible for all materials and quantities as required to complete the work.
- In case of conflict, the more restrictive provision shall apply.

LEGEND

[Symbol]	Concrete Paving
[Symbol]	CA-7 Base Alternate #1
[Symbol]	Concrete Joints
[Symbol]	Expansion Joints
[Symbol]	Construction Fence
[Symbol]	Property Limit

SITE AMENITIES SCHEDULE - to be purchased as Owner. Only Play Equipment to be installed by Contractor. Site furniture for reference only.

Key	Item	Color	Quantity	Model	Manufacturer	Supplier	Purchase by
A	2-5 Ply Structure	Black	1	Custom	Landscaping Structures	MOO-356-6397	Owner
B	5-12 Ply Structure	Black	1	Custom	Landscaping Structures	MOO-356-6397	Owner
C	Stand Up Spinner	Black	1	HD5077A	Landscaping Structures	MOO-356-6397	Owner
D	Swings	Black	1	4 Belt, 2-1/2" x 1-1/4"	Landscaping Structures	MOO-356-6397	Owner
E	Bench w/ arms and back, surface	Black	3				Owner
F	Litter receptacle		2				Owner





1481 W. Illinois Avenue
Palatine, Illinois 60067
Phone: 847.708-5130

PROJECT

**Chickadee Park
Development &
Hamilton Park
Playground
Renovation**

PROJECT TEAM



uplandDesign Ltd
Park Planning and Landscape Architecture
28042 Lockport St. Palatine, Illinois 60054
815.254.0091 www.uplanddesign.com

Hamilton Park

SHEET TITLE

**Dimension
Plan**



SHEET NUMBER

2.3

DRAW / REVISION

NO.	REVISED	DATE
1	PROJ SET	JULY 2016

Sheet Number: 03
© Copyright 2016 Upland Design Ltd.
All Rights Reserved. All trademarks are the property of their respective owners.



LEGEND

- Concrete Paving
- CA7 Base Alternative #1
- Concrete Joints
- Expansion Joints
- EJ
- Construction Fence
- CF
- Property Limit

GENERAL NOTES: DIMENSION

1. Layout of equipment to be shown on sheet.
2. Layout of equipment to be shown on sheet to be sized by the Contractor for review by Owner's Representative prior to final equipment installation.
3. Contractor shall confirm that all equipment installation zones specified by play equipment manufacturer are shown on sheet.
4. See Layout Plan, Sheet 2.2 for additional general notes and referenced specifications and costs.



148 W. Illinois Avenue
Palatine, Illinois 60067
Phone: 847-709-5130

PROJECT
Chickadee Park & Hamilton Park Playground Renovation

PROJECT TEAM



uplandDesign ltd
Park Planning and Landscape Architecture
24042 Lockport St., Palatine, Illinois 60054
815-254-0991 www.uplanddesign.com

Hamilton Park
SHEET TITLE
Grading & Restoration Plan

SHEET NUMBER 2.4


DRAWING REVISION

NO.	DESCRIPTION	DATE
1	ISSUED FOR SET	11/14/2018

Project Number: 535
© Copyright 2018 Upland Design, LLC
All Rights Reserved. 11/14/2018 11:42 AM

GENERAL NOTES, GRADING

- Finished surfaces to be smooth and even with no abrupt or awkward changes in grade.
- Grading shall be in accordance with the approved grading plan and all applicable specifications. Any Contractor shall adhere to the approved grading plan and all applicable specifications. Any deviation shall be noted and approved by the Engineer prior to construction.
- All walls, drains and paved areas are to follow ADA per incorporated specifications. Any deviation shall be noted and approved by the Engineer prior to construction.
- This work shall include the excavation, abutment, and placement of topsoil and suitable excavated material along with removal of all excess topsoil and debris of site and disposal of same.
- Follow the latest Procedures and Standards for Urban Soil Erosion and Sedimentation Control, (EPA, Standards and Specifications for Soil Erosion and Sedimentation Control, and U.S. Soil Conservation Service Field Engineering Handbook.



LEGEND

-----	Existing Contour Line
-----	Proposed Contour Line
+	Existing Spot Elevation
+	Proposed Spot Elevation
→	Drainage Flow Direction
---	Construction Limits

INDEX OF ACRONYMS AND ABBREVIATIONS

- HP High Point (FP)
- LP Low Point (LP)
- TC Top of Contour (TC)
- TP Top of Pavement (TP)
- TW Top of Wall (TW)
- ME Match Existing Elevation (ME)
- RNV Pipe Invert Elevation (RNV)
- RM Top of Rein Elevation (RM)



PROJECT
Chickadee Park Development & Hamilton Park Playground Renovation

PROJECT TEAM

uplandDesign ltd.


Park Planning and Landscape Architecture
1000 North Lake Street, Suite 100
26042 Lombard, St. Paul, MN 55144
612-334-0991 www.uplanddesign.com

Construction Details


SHEET NUMBER 3.1

DRAW / REVISION


NO.	DESCRIPTION	DATE




10 Drain Cleanout - EWF
SCALE: N.T.S.
6" min. cleanout EWF, 12"




11 Landscape Outcropping
SCALE: N.T.S.
6" depth landscape outcropping, 12" deep




12 Shade Structure Footing
SCALE: N.T.S.
6" min. cleanout PIP, 15"




7 Engineered Wood Fiber
SCALE: 1" = 1'-0"
6" deep wood fiber, 12"




8 Playground Underdrainage
SCALE: 1" = 1'-0"
6" playground underdrainage, 12"




9 Drain Cleanout - PIP
SCALE: N.T.S.
6" min. cleanout PIP, 15"




4 Curb at Playground
SCALE: 1" = 1'-0"
6" curb-playground, 12"




5 Integral Curb at Walk
SCALE: 1" = 1'-0"
6" curb-integral, 12"




6 CA-7 Drainage Gravel-ALT.
SCALE: 1" = 1'-0"
6" ca-7 drainage gravel pip, 12"




1 Concrete Paving
SCALE: 1 1/2" = 1'-0"
6" concrete paving, 6"



2 Concrete Joints
SCALE: 1 1/2" = 1'-0"
6" joints, 6"



3 Playground Sloped Entry
SCALE: 1 1/2" = 1'-0"
6" concrete sloped entry, 6"



September 16, 2016

Ms. Tracey Crawford
Executive Director
Northwest Special Recreation Association
3000 Central Road, Suite 205
Rolling Meadows, IL 60008

Re: Improvements proposed to be financed using special recreation levy

Dear Ms. Crawford:

The Palatine Park District hereby notifies and requests approval of the NWSRA Board of Directors for the proposed expenditure of funds from the District's special recreation levy, to pay the cost of the following improvement.

The Park District has contracted the installation of a Little Tikes playground with accessible features and accessible entry area at a newly acquired property in the north section of the Palatine Park District. The playground is primarily designed for children from ages 2-12. This property is located at 18 E. Preserve Drive in Palatine, Illinois.

The entire cost of the project is \$158,776.00 of which \$47,965.94 is designated for ADA improvements. This represents 30% of the total cost of the park development. The improvements are expected to be substantially complete by October 2016. Anticipated benefits of the project to NWSRA are as follows:

The walkway will allow people with mobility challenges to access the playground. The playground will also have components and amenities to allow patrons with disabilities to enjoy the facility.

The District respectfully requests that you review this request and present it with your approving recommendation to the NWSRA Board of Directors. If you have any questions or require additional information, please do not hesitate to contact me.

Very truly yours,

A handwritten signature in black ink, appearing to read "Michael Clark".

Michael Clark
Executive Director

cc: Board of Park Commissioners



Chickadee Park

#510

Palatine Park District

Prepared Date: 8/5/2016

SITE PLAN

PROJECT COMPONENTS	QUANTITY	UNIT	COST	EXTENSION	ADA Costs
General Conditions	1	LS	\$ 8,812.00	\$ 8,812.00	
Construction Fencing	1	LS	\$ 1,500.00	\$ 1,500.00	
Site Grading and Preparation	264	CY	\$ 42.00	\$ 11,088.00	\$ 2,772.00
Concrete Paving	1,334	SF	\$ 8.00	\$ 10,672.00	\$10,672.00
Sloped Playgorund Entry	171	SF	\$ 12.00	\$ 2,052.00	\$ 2,052.00
Concrete Curb at Playground	240	LF	\$ 28.00	\$ 6,720.00	
Integral Curb at Playground	75	LF	\$ 28.00	\$ 2,100.00	\$ 525.00
Install Playground Equipment (42%)	1	LS	\$ 24,470.26	\$ 24,470.26	\$ 6,117.56
Purchase Playground Equipment	1	LS	\$ 58,262.52	\$ 58,262.52	\$14,565.63
Wood Fiber Safety Surface	5,480	SF	\$ 3.00	\$ 16,440.00	\$ 4,110.00
Stones and Outcropping at Playground	1	LS	\$ 6,500.00	\$ 6,500.00	
Plastic receptacle - purchase and install Trash can and installation	1	EA	\$ 2,107.00	\$ 2,107.00	\$ 526.75
Bench - Purchase and Install	3	EA	\$ 1,519.00	\$ 4,557.00	\$ 1,139.25
Bike Rack - Purchase and Install	3	EA	\$ 250.00	\$ 750.00	
Picnic Table	2	EA	\$ 3,633.00	\$ 7,266.00	\$ 1,816.50
Shade Sail	1	EA	\$ 2,299.00	\$ 2,299.00	\$ 574.75
4" Perf. Playground Underdrainage	321	LF	\$ 18.00	\$ 5,778.00	\$ 1,444.50
4" SDR 26 Pipe	14	LF	\$ 18.00	\$ 252.00	\$ 63.00
Drain Cleanout	1	EA	\$ 750.00	\$ 750.00	\$ 187.50
Connection to Existing Structure	1	EA	\$ 1,000.00	\$ 1,000.00	\$ 250.00
Shade Tree - 2" cal. w/ watering bags	7	EA	\$ 650.00	\$ 4,550.00	
Evergreen Shrub	6	EA	\$ 75.00	\$ 450.00	
Deciduous Shrub	21	EA	\$ 65.00	\$ 1,365.00	
Perennial - #1 pot	73	EA	\$ 22.00	\$ 1,606.00	
Groundcover - Flat	10	EA	\$ 7.00	\$ 70.00	
Landscape Restoration	853	SY	\$ 6.00	\$ 5,118.00	
Subtotal				\$ 186,534.78	
Design / Bid Contingency 5%)				\$ 9,326.74	
CONSTRUCTION BID TOTAL				\$ 195,861.52	
Purchase of Shade Sail by Owner	1	EA	\$ 4,598.00	\$ 4,598.00	\$ 1,149.50
					Year 2016
GRAND TOTAL				\$ 200,459.52	\$47,965.94



143 W. Illinois Avenue
Palatine, Illinois 60067
Phone: 847-355-5100

PROJECT

**Chickadee Park
Development &
Hamilton Park
Playground
Renovation**

PROJECT TEAM



UplandDesign Architecture
2404 S. Lincoln St., Chicago, Illinois 60608
815-254-0991 www.uplanddesign.com

Chickadee Park

SHEET TITLE

**Existing
Conditions &
Removals Plan**

SHEET NUMBER 1.1

DRAW / REVISION

NO.	DATE	DESCRIPTION
1	11/14/2018	ISSUED FOR SET

Sheet Number: 03
© Copyright 2018 Upland Design, Ltd.
All Rights Reserved. Palatine, Illinois

GENERAL NOTES: EXISTING CONDITIONS & REMOVALS

- The Contractor is to locate all utilities, public and private, prior to beginning construction. Contractor will be responsible for any changes to utilities caused by their work. Contact Palatine Public Works Department at (815) 355-5111 for location of utilities and contractor shall be responsible for protection of the same.
- Site conditions are shown based upon available information; contractor to verify all existing conditions in the field.
- The contractor shall be responsible for the protection of all existing utilities, even though they may not be shown on the plans. Any utility damaged during the construction shall be repaired or replaced to the satisfaction of the Owner at the contractor's expense. No line shall be cut or damaged without the approval of the City Engineer, Palatine, Illinois.
- A Topographic Survey was completed for Facility West Builders Inc. (540 Dundee Road, Suite 100, Palatine, IL 60067) on 11/06/07. Verify information in field prior to proceeding with work.
- The Contractor shall verify the location of all existing utilities, sewer, gas, transmission line or other utility.
- The Contractor shall protect and preserve all existing, property or survey reference markers, monuments, trees that are to be saved, 140' minimum distance to a minimum of 10' from the edge of the construction (fenced to cord). Do not drive, store equipment or materials within 10' of any existing utility.
- Contractor shall be responsible for damage to existing structures to be demolished or removed.
- Contractor shall be responsible for damage to existing structures to be demolished or removed.
- Work site safety is the responsibility of the Contractor.
- Contractor shall be responsible for the protection of all existing utilities, even though they may not be shown on the plans. Any utility damaged during the construction shall be repaired or replaced to the satisfaction of the Owner at the contractor's expense. No line shall be cut or damaged without the approval of the City Engineer, Palatine, Illinois.
- Construction Limits: Construction Limits are the park property limits. Do not store equipment or materials outside of construction limits. Any areas disturbed as a result of construction shall be returned to their original condition or better.
- Typical may be substituted for modification as needed. Excess material, debris and plant material shall be removed from the site.
- Construction limits shall be marked prior to beginning construction. Construction limits to be marked shall be marked prior to beginning construction. Construction limits to be marked shall be marked prior to beginning construction.
- Before beginning work at the site and throughout the course of the work contractor to respect and protect all existing utilities, public and private, and to protect all existing structures to be demolished or removed.
- Should discrepancies appear among the contract documents or between the contract documents and existing conditions, the contractor shall request interpretation from the Owner's Representative. The contractor shall not proceed until the Owner's Representative has provided a written interpretation. The contractor shall be responsible for the protection of all existing utilities, even though they may not be shown on the plans. Any utility damaged during the construction shall be repaired or replaced to the satisfaction of the Owner at the contractor's expense. No line shall be cut or damaged without the approval of the City Engineer, Palatine, Illinois.
- Large scale drawings shall be provided and noted in field over ground dimensions. Large scale drawings shall be provided and noted in field over ground dimensions. Large scale drawings shall be provided and noted in field over ground dimensions.


Permit:
Park District to obtain permits from Village
Contractor to register with Village of Palatine and coordinate for all inspections.

PROJECT BENCHMARK

- Site Benchmark:**
B1: Railroad spike in utility pole at the southwest corner of the site and primary boundary.
Elevation: 750.00
- Benchmark:**
B2: Railroad spike in utility pole at the southwest corner of the site and primary boundary.
Elevation: 746.65

REMOVALS LEGEND

- Remove and Dispose of Existing Concrete Paving
- Construction Fence



0-added name_12

1 Inlet Protection

SCALE: NTS



SCALE: 1" = 10'-0"
0 5' 10' 20' 30'





148 N. Illinois Avenue
Palatine, IL 60067
Phone: 847.795.5130

Chickadee Park Development & Hamilton Park Playground Renovation

PROJECT TEAM

uplandDesign ltd
Park Planning and Landscape Architecture
2400 S. Lincoln Ave., Suite 100
2400 S. Lincoln Ave., Suite 100
Chicago, IL 60608
815.234.0991 www.uplanddesign.com

Chickadee Park Layout Plan

SHEET TITLE

SHEET NUMBER **1.2**

DATE	11/14/2018
BY	
CHECKED	
APPROVED	

Scale: 1" = 10'-0"
© Copyright 2018 Upland Design Ltd.
All Rights Reserved. 11/14/2018

GENERAL NOTES: LAYOUT

- It is the responsibility of the Contractor to perform layout of all proposed elements and points of construction on the site. The Contractor shall be responsible for obtaining all necessary permits and approvals for the project. (This work is considered incidental to the project and is not to be included in the contract sum.)
- Paving materials shall be formed completely and shall smoothly transition into flagstones and adjacent areas. Dimensions are to face of curb and edge of pavement unless otherwise noted.
- Dimensions are in feet or degrees. Dimensions are perpendicular & parallel unless otherwise noted.
- All ball elements (inclusive of walls, drives, rails and power lines) are to follow ADA per current specifications. Any structure shall be removed or modified to follow this law.
- Transitions between paving types (i.e. concrete to asphalt) shall be smooth. Transitions not to be made at the edge of a curb or at the edge of a driveway.
- All locations shall be a minimum of 42" deep below finished grade. Where the construction documents or manufacturer specifies deeper footings, those dimensions supersede this note. Top of play equipment footings to be at the bottom of improved wood fiber surfacing. Paving to meet adjacent grades flush and smooth.
- No excavations are to be left open to foot weather, rain, snow, etc. which would necessitate the contractor to submit a plan for the installation of safety barriers as required to complete the work in accordance with the plans and specifications. The contractor will notify the Owner's Representative in writing of any discrepancies or changes required to complete the work in accordance with the plans and specifications. All changes must be approved by the Owner's Representative and Owner before any change are executed.

REFERENCED SPECIFICATIONS AND CODES



- The Standard Specifications for Road and Bridge Construction (SSRBC), latest April 1, 2017 Edition, published by the Illinois State Tollway Authority, shall apply to all highway design manual, highway standards, and the current manual, also prepared by the Illinois Department of Transportation.
- The Illinois Department of Transportation (IDOT) Standard Specifications for Road and Bridge Construction, 2017 Edition, published by the Illinois Department of Transportation, shall apply to all highway design manual, highway standards, and the current manual, also prepared by the Illinois Department of Transportation.
- The Illinois Department of Transportation (IDOT) Standard Specifications for Road and Bridge Construction, 2017 Edition, published by the Illinois Department of Transportation, shall apply to all highway design manual, highway standards, and the current manual, also prepared by the Illinois Department of Transportation.
- U.S. Set Construction Service Field Engineering Handbook
- All requirements of the Occupational Safety and Health Administration
- The other standard specifications, codes and permits, with their construction plans and details, are all to be considered part of the work, incidental items or accessories necessary for the work may not be specifically noted but are considered part of these improvements.
- In case of conflict, the more restrictive provision shall apply.

LEGEND

- Concrete Paving
- Engineered Wood Fiber Safety Surfacing
- Concrete Joints
- Expansion Joints
- OF
- Property Unit

SITE AMENITIES SCHEDULE - to be purchased as noted. Contractor shall install play equipment only site furniture shall be installed by owner and is listed for contractors reference only.

Item	Color	Quantity	Model	Manufacturer	Supplier	Purchase by
A	2-5 Play Structure	1	Custom	Little Tikes	185-496-3292	Owner
B	5-7 Play Structure	1	Custom	Little Tikes	185-496-3292	Owner
C	Complete the Construction of the Swing Set	1	100000383	Little Tikes	185-496-3292	Owner
D	Complete the Construction of the Swing Set	1	100000371	Little Tikes	185-496-3292	Owner
E	Swings	1	2 Inch 2 Inch 1 Inch 1 Inch	Little Tikes	185-496-3292	Owner
F	Shade Sail	1	5015266	None	185-496-3292	Owner
G	Bench w/ arms and backrest	3				Owner
H	Plastic, Public, surface mounted	2				Owner
I	Plastic, Public, surface mounted	1				Owner
J	Little Tikes Surface	3				Owner
K	4x6 Rubber Safety Mats	6	2-Ply/4mm-thick	Microban Rubber Products	185-496-3292	Contractor





148 N. Illinois Avenue
Palatine, Illinois 60067
Phone: 847.705.5130

PROJECT
**Chickadee Park
Development &
Hamilton Park
Playground
Renovation**

PROJECT TEAM

uplandDesign ltd
Park Planning and Landscape Architecture
24002 Lockport St., Palatine, Illinois 60054
815-224-0931 www.uplanddesign.com

Chickadee Park


SHEET TITLE
**Dimension
Plan**

SHEET NUMBER
1.3


DRAW / REVISION

NO.	DATE	BY	CHKD.	REVISION
1				ISSUED FOR SET

Project Number: 535
© Copyright 2016 Upland Design, Ltd.
All Rights Reserved. No part of this drawing may be reproduced without written permission.




Play Equipment Layout



LEGEND

- Concrete Paving
- Concrete Joints
- Construction Fence
- Property Limit



General Layout

GENERAL NOTES: DIMENSION

1. Layout of equipment is to center of post.
2. Layout play equipment with safety zones to be reviewed by the Contractor for review by the City.
3. Contractor shall confirm that all equipment (safety) zones specified by play equipment manufacturer are adhered to.
4. Layout Pin, Sheet 1.2 for additional general notes and referenced specifications and notes.



148 W. Illinois Avenue
Palatine, Illinois 60067
Phone: 847.705.5130

PROJECT

Chickadee Park Development & Hamilton Park Playground Renovation

PROJECT TEAM



Plan, Planning and Landscape Architecture
24002 Lockport St., Palatine, Illinois 60054
815-254-0991, www.uplanddesign.com

Chickadee Park

Grading Plan

SHEET TITLE

SHEET NUMBER **1.4**

DRAW / REVISION

M/I/D	REV/SET	DATE
		11/11/2015

Sheet Number: 53
© Copyright 2015 Upland Design, Ltd.
11/11/2015 10:58:30 AM

GENERAL NOTES: GRADING


- Finished surfaces to be smooth and even with no abrupt or awkward changes in grade.
- Grading shall be done in accordance with the approved grading plan and all other details.
- Consider soil water and erosion control as a result of construction.
- All walks, drives and paved areas are to follow ADA, per incorporated specifications. Any deviation shall be reviewed and approved to below this note.
- Excavation shall be done in accordance with the approved grading plan and all other details. This work shall include the excavation, sloping, and placement of topsoil and suitable excavated material along with removal of all excess topsoil and debris of site and disposal of same.
- Follow the Illinois Procedures and Standards for Urban Soil Erosion and Sedimentation Control, EPA Standards and Specifications for Soil Erosion and Sedimentation Control, and U.S. Soil Conservation Service Field Engineering Handbook.

LEGEND

- Existing Contour Line
- Proposed Contour Line
- X 685.35 Existing Spot Elevation
- + 689.66 Proposed Spot Elevation
- Drainage Flow Direction
- Construction Limits


INDEX OF ACRONYMS AND ABBREVIATIONS

- HP High Point (HP)
- LP Low Point (LP)
- TC Top of Curve (TC)
- EP Edge of Pavement (EP)
- TW Top of Walk (TW)
- ME Match Existing Elevation (ME)
- PI Pipe Inlet Elevation (PI)
- BM Benchmark Elevation (BM)
- RM Top of Form Elevation (RM)



1 Erosion Control Blanket

g400303-erosion control blanket, 12'





148 W. Illinois Avenue
Palatine, Illinois 60067
Phone: 847-762-2130

PROJECT
**Chickadee Park
Development &
Hamilton Park
Playground
Renovation**

PROJECT TEAM



Park Planning and Landscape Architecture
204 W. Randolph St., Chicago, Illinois 60601
Phone: 312-467-4400
815-234-8991, www.uplanddesign.com

Chickadee Park
SHEET TITLE
**Landscape
Plan**



SHEET NUMBER 1.5
DRAW / REVISION

NO.	DATE	DESCRIPTION
1	11/14/2015	

Scale: 1" = 10'-0"
© Copyright 2015 Upland Design, LLC
11/14/2015

GENERAL NOTES: LANDSCAPE


- Notes indicated on grading plans shall pertain to landscape plans. Final groups of planting beds shall be as per grading plans.
- Contractor shall be responsible for marking themselves familiar with all underground utilities and structures.
- All existing plant material and trees shall be saved and protected unless otherwise noted. All existing plant material shall be removed and landscaping from damage and shall restore all areas to original condition.
- Contractor to prepare landscape beds by top-soling 2" of Mulch/Compost into new beds. Do not add compost material within drip line of existing trees.
- Contractor to install 1/2" of sand for drainage under existing conditions, and shall follow details in specification.
- Turf areas shall be installed and law established at all disturbed areas.
- Do not overwater main beds, and watering shall be done as a result of observation.
- Contractor shall ensure a smooth transition from new lawn into existing lawn at all property edges.



EAST PRESERVE DRIVE

DEE LANE





September 19, 2016

Tracey Crawford
Executive Director
Northwest Special Recreation Association
3000 Central Road, Suite 205
Rolling Meadows, IL 60008

Re: Improvements proposed to be financed using special recreation levy

Dear Ms. Crawford:

The Palatine Park District hereby notifies and requests approval of the NWSRA Board of Directors for the proposed expenditure of funds from the District's special recreation levy, to pay the cost of the following improvement.

The Palatine Park District has hired an engineering firm to design and supply specifications for the installation of an accessible path from the western parking lot and playground to the Fred Hall Amphitheater in Community Park located at 262 E. Palatine Road. The project will also include installation of pads for viewing the activities on stage.

The estimated cost of the engineering is \$5,325. This cost is for 100% of the engineering fees. The engineering has been completed. The construction of the paths will be scheduled for 2017. Anticipated benefits of the project to NWSRA are as follows:

The path will allow accessibility from the Family Aquatic Center parking lot and the playground to the outdoor music theater known as the Fred Hall Amphitheater.

The District respectfully requests that you review this request and present it with your approving recommendation to the NWSRA Board of Directors. If you have any questions or require additional information, please do not hesitate to contact me.

Very truly yours,

A handwritten signature in black ink, appearing to read "Michael Clark", is written over a white background.

Michael Clark
Executive Director

cc: Board of Park Commissioners



INVOICE

Ed Tynczuk
Superintendent of Parks & Planning
Palatine Park District
148 Illinois Street
Palatine, IL 60067

February 06, 2016
Invoice No: F0285.R0527 - 0025396

Project F0285.R0527 Palatine Park District - Community Park Accessible Paths
Preparations of plans, specifications and cost estimates for the construction of accessible paths from the western parking lot and main parking lot to the amphitheater and playground that are located on the west side of the aquatic center and Community Park.

Professional Services from December 26, 2015 to January 29, 2016

Task	001	Design Services		
Fee				
Total Fee		7,100.00		
Percent Complete		100.00	Total Earned	7,100.00
			Previous Fee Billing	1,775.00
			Current Fee Billing	5,325.00
			Total Fee	5,325.00
			Total this Task	\$5,325.00
			Total this Invoice	\$5,325.00


Palatine Park District Path Improvements at Community Park

262 E. Palatine Road
Palatine, Illinois
PROJECT NO. F0285.R0527



NOT TO SCALE

LOCATION MAP



LEGEND	
EXISTING	PROPOSED
R.O.W.	---
EASEMENT	---
PROPERTY LINE	---
COMBINED SEWER	---
SANITARY SEWER	---
STORM SEWER	---
WATERMAN	---
FLARED END SECTION	---
CATCHBASIN	---
INLET	---
MANHOLE	---
VALVE VAULT	---
HYDRANT	---
WATER SERVICE BOX	---
GAS VALVE	---
LIGHT FIXTURE	---
POWER POLE	---
ELEVATION	---
GRADE CONTOUR	---
FLOW ARROW	---
HIGH POINT	---
TREE TO REMAIN	---
TREE TO BE REMOVED	---
BUSHES	---
SIGN	---
MAILBOX	---

LEGEND INDICATES GENERAL TRENDS AND INTENT
PLAN NOTATION SHALL GOVERN
MULTIPLE OBJECTS ARE DEPICTED FOR REFERENCE

FIELD VERIFY ALL UTILITIES
THE LOCATION OF ALL UTILITIES INDICATED ON THE PLANS IS
BASED ON RECORD DRAWINGS AND FIELD SURVEY. THE LOCATION,
AND ELEVATION OF ALL PUBLIC UTILITIES MUST BE DETERMINED
BY THE CONTRACTOR. IT SHALL BE THE DUTY OF THE
CONTRACTOR TO VERIFY THE LOCATION OF ALL UTILITIES AND
FACILITIES OTHER THAN THOSE SHOWN ON THE PLAN MAY BE
PRESENT.



OPERATES 24 HOURS A
DAY 365 DAYS A YEAR
TOWNSHIP: 42N
MUNICIPALITY: Village of Palatine

REFERENCED STANDARDS
THE FOLLOWING CODES AND SPECIFICATIONS ARE INCORPORATED INTO THIS PROJECT BY REFERENCE. CODES AND SPECIFICATIONS SHALL BE CONSIDERED MINIMUM CONSTRUCTION STANDARDS. IN THE EVENT OF CONFLICT, THE MOST RECENT EDITION SHALL APPLY. IF NO SPECIFIC EDITION OR PUBLICATION DATE IS PROVIDED, THE MOST CURRENT EDITION SHALL APPLY.

- 2018 I-047 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION
- 2018 I-047 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION
- 2014 I-047 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION
- 2014 I-047 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION
- 2010 AMERICANS WITH DISABILITIES ACT
- ILLINOIS ACCESSIBILITY CODE

DUTY TO INDEMNIFY
THE CONTRACTOR SHALL DEFEND, INDEMNIFY, KEEP AND SAVE HARMLESS THE MUNICIPALITY, OWNER AND ENGINEER, AND THEIR RESPECTIVE BOARD MEMBERS, REPRESENTATIVES, AGENTS AND EMPLOYEES, IN BOTH INDIVIDUAL AND OFFICIAL CAPACITIES, AGAINST ALL SUITS, CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING ATTORNEY'S FEES, ARISING FROM OR RESULTING FROM OR IN CONNECTION WITH THE CONTRACTOR'S PERFORMANCE OF THE CONTRACT. THE CONTRACTOR OR ITS SUBCONTRACTORS TO THE FULL EXTENT AS ALLOWED BY THE LAWS OF THE STATE OF ILLINOIS AND NOT BEYOND ANY EXTENT WHICH WOULD RENDER THESE PROVISIONS VOID OR UNENFORCEABLE. THIS OBLIGATION INCLUDES BUT IS NOT LIMITED TO THE CONTRACTOR'S PROTECTION OF ADJACENT LANDOWNERS (IL Rev. Stat. 17-112 Par. 51 Smg.). IN THE EVENT OF ANY SUCH INJURY (INCLUDING DEATH) OR LOSS OF DAMAGE OF CLAIMS THEREFOR, OR CLAIMS THEREFORE, THE CONTRACTOR SHALL GIVE PROMPT NOTICE TO THE OWNER.

INDEX OF SHEETS

NO.	DESCRIPTION
1	COVER SHEET
2	EXISTING SITE CONDITIONS & DEMOLITION
3	PAVING AND GRADING PLAN
4	PATH PROFILES
5	GENERAL NOTES AND DETAILS

CONTROL

Horizontal Control:
North American Plane Coordinates, East Zone
NAD 1983

Vertical Control:
U.S.C.S. Vertical Datum, 1988
Derived from Tribrach VRS Network, 2009 Adjustment

OWNER CONTACT

Ed Tymczak
Director of Parks
Palatine Park District
144 W. Illinois Avenue
Palatine, IL 60067
(847) 705-1150

INSPECTIONS REQUIRED


THE CONTRACTOR SHALL SCHEDULE ANY INSPECTIONS REQUIRED THROUGHOUT CONSTRUCTION OF THE PROPOSED IMPROVEMENTS.

SIGNED _____ DATED _____
MY LICENSE RENEWAL DATE IS NOVEMBER 30, 2017
ENTIRE SUBMISSION COVERED BY THIS SEAL
UNLESS SPECIFICALLY NOTED.



I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF ILLINOIS.

NO.	REVISION

DATE



FIELD VERIFY ALL UTILITIES
 THE LOCATION OF ALL UTILITIES SHOWN ON THIS PLAN IS BASED ON RECORD DRAWINGS AND FIELD SURVEY. THE EXACT LOCATION AND ELEVATION OF ALL PUBLIC UTILITIES MUST BE DETERMINED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING THE LOCATION AND ELEVATION OF ALL UTILITIES SHOWN ON THIS PLAN. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES OTHER THAN THOSE SHOWN ON THE PLAN MAY BE PRESENT.






PLAN - EXISTING CONDITIONS
 1/19/2016

NO.	REVISION	DATE





DO NOT STOP FOR MORE THAN 30 MINUTES
 DRY 90 DAYS A YEAR


FIELD VERIFY ALL UTILITIES
 THE LOCATION OF ALL UTILITIES INDICATED ON THIS PLAN IS BASED ON RECORD DRAWINGS AND FIELD SURVEY. THE LOCATION AND ELEVATION OF ALL PUBLIC UTILITIES MUST BE DETERMINED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE TO ASCERTAIN WHETHER ANY ADDITIONAL FACILITIES OTHER THAN THOSE SHOWN ON THE PLAN MAY BE PRESENT.




NO.	REVISION	DATE




PROFILE - PATH TO EAST
1" = 20' HORIZ.
1" = 4' VERT.



PROFILE - PARKING ACCESS
1" = 20' HORIZ.
1" = 4' VERT.



PROFILE - STAGE ACCESS
1" = 20' HORIZ.
1" = 4' VERT.



PROFILE - MAIN PATH
1" = 20' HORIZ.
1" = 4' VERT.

GENERAL NOTES:


1. ALL ELEVATIONS, INCLUDING GRANULAR MATERIAL, COMPACTION AND RELATED WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE ILLINOIS DEPARTMENT OF TRANSPORTATION'S STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.
2. THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS FROM THE LOCAL JURISDICTION WITH ALL DIMENSIONS AND THE REQUIREMENTS OF THE LOCAL JURISDICTION.
3. THE CONTRACTOR SHALL NOTIFY THE OWNER, ENGINEER, MUNICIPALITY, THEIR AGENTS AND ALL UTILITIES PRIOR TO BEGINNING ANY CONSTRUCTION.
4. THE CONTRACTOR SHALL NOTIFY THE OWNER & AMENIT DESIGN AT LEAST TWO WORKING DAYS PRIOR TO BEGINNING ANY CONSTRUCTION.
5. THE LOCATIONS OF EXISTING UTILITIES SHOWN ON THE PLANS ARE FOR INFORMATION ONLY. THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES AND TO NOTIFY ALL UTILITIES COMPANY TO VERIFY THE LOCATION OF ALL UTILITIES PRIOR TO BEGINNING ANY CONSTRUCTION.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIR OF DAMAGE DONE BY THEM TO UTILITIES WITHIN THE LIMITS OF IMPROVEMENT.
7. PRIOR TO COMMENCING ANY CONSTRUCTION OPERATIONS ON THIS PROJECT, THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS FROM THE MUNICIPALITY AND ANY OTHER AGENCY HAVING JURISDICTION.
8. PRIOR TO COMMENCING ANY CONSTRUCTION OPERATIONS AT THE SITE, THE CONTRACTOR SHALL CONTACT JULLIE AT (646) 988-6123 TO VERIFY THE LOCATION OF EXISTING UTILITIES.
9. THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS FROM THE MUNICIPALITY AND ANY OTHER AGENCY HAVING JURISDICTION.
10. THE CONTRACTOR SHALL INSTALL STRAIN RALES, SILT FENCE OR OTHER SOIL EROSION CONTROL DEVICES AS DIRECTED BY THE LOCAL JURISDICTION, AND MUST MAINTAIN THEM THROUGHOUT THE PROJECT.
11. CONTRACTORS SHALL PROVIDE AND MAINTAIN WORKER TOILET FACILITIES.
12. DUST MUST BE CONTROLLED ON SITE AT ALL TIMES, INCLUDING ANY DEMOLITION.
13. A COPY OF APPROVED ENGINEERING PLANS SHALL REMAIN ON SITE AT ALL TIMES.
14. NO CONSTRUCTION DEBRIS, SOIL OR MATERIAL SHALL BE PERMITTED WITHIN THE RIGHT-OF-WAY, ANY DERRIS, SOIL, ETC. MUST BE REMOVED IMMEDIATELY BY THE CONTRACTOR'S OPERATORS EXPENSE AND MUST REQUIRE THE USE OF A STREET SWEEPER.
15. THE GENERAL CONTRACTOR, AND ENGINEER ACTING AS SAME, SHALL BE RESPONSIBLE FOR ENSURING THAT THE CIVIL ENGINEERING PLANS AND ANY PLANS PREPARED BY OTHERS ARE CONCURRENT.
16. DO NOT SCALE PLANS FOR CONSTRUCTION DRAWINGS. VERIFY ALL DIMENSIONS IN FIELD.
17. EXCAVATED MATERIAL SHALL BE Hauled FROM THE SITE.
18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SCHEDULING INSPECTIONS.

SEDIMENTATION AND EROSION CONTROL NOTES:

1. The intent of these notes is to provide additional information and specifications for the erosion control measures to be installed on the site. The intent is to provide a minimum level of erosion control measures that shall be installed on the site. The contractor shall be responsible for providing additional information and specifications as needed to meet the minimum level of erosion control measures.
2. All sedimentation and erosion control measures shall be installed prior to the commencement of ground disturbance.
3. All temporary erosion and sediment control measures shall be removed within 30 days after final site stabilization is achieved or after the temporary measures are no longer needed. Trapped sediment and other material shall be permanently stabilized.
4. Erosion control measures indicated on the plans are the minimum requirements. Additional measures may be required, as directed by the governing authority.
5. All temporary erosion and sediment control measures shall be installed and be of sufficient width and depth to prevent erosion and sedimentation. Temporary measures shall be installed and maintained in accordance with the Illinois Department of Transportation's Standard Specifications for Road and Bridge Construction, Section 100.
6. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
7. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
8. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
9. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
10. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
11. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
12. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
13. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
14. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
15. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
16. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
17. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
18. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
19. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
20. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.

NEPA PUBLIC ACT 96-1410:

1. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
2. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
3. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
4. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
5. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
6. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
7. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
8. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
9. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
10. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
11. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
12. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
13. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
14. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
15. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
16. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
17. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
18. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
19. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.
20. The contractor shall be responsible for providing and maintaining all erosion control measures on the site. The contractor shall be responsible for providing and maintaining all erosion control measures on the site.



TYPICAL SECTION - ASPHALT PATH
NO SCALE

FORMS:

1. Accreditation for an authorized aspect of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental laboratories and the scope of accreditation.
2. Accreditation for an authorized aspect of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental laboratories and the scope of accreditation.
3. Accreditation for an authorized aspect of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental laboratories and the scope of accreditation.
4. Accreditation for an authorized aspect of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental laboratories and the scope of accreditation.

REVISIONS:

NO.	REVISION	DATE

OPERATES 24 HOURS A DAY, 365 DAYS A YEAR

General Notes and Details
Palmer Park District - Path Improvements
Community Park, Palmdale, IL

AMENIT DESIGN
2025 S. Alton Road, Palmdale, IL 60465
Palmdale, IL 60465
Tel: 630-262-1100
Fax: 630-262-1101

DATE: 1/14/2016
APPROVED BY: MSC
DRAWN BY: MSC

SHEET NO. 9
FILE NAME: P16011.DWG

1/19/2016 FOR CLIENT REVIEW - NOT FOR CONSTRUCTION