## LEGAL NOTICE ADVERTISEMENT FOR BIDDING

FOR: Two Paratransit Vehicles

OWNER: Northwest Special Recreation Association 3000 W Central Road, Suite 205 Rolling Meadows, IL 60008

Northwest Special Recreation Association will receive separate sealed bids until 10:00 am on Wednesday, November 29, 2023 at Northwest Special Recreation Association, 3000 W. Central Rd, Rolling Meadows, IL 60008, for two individual paratransit vehicles.

Copies of the bidding specifications will be available at Northwest Special Recreation Association office, after 10:00 am on Wednesday, November 15 by contacting Josh Ruston at (847) 392-2848 or <a href="mailto:iruston@nwsra.org">iruston@nwsra.org</a> or by accessing the bid documents at <a href="mailto:www.nwsra.org/bid.">www.nwsra.org/bid.</a>

The above bids will be opened and read publicly at 10:00 am on Wednesday, November 29, 2023 at NWSRA's office.

NWSRA reserves the right to reject any or all proposals which, in its judgment, will be to the best interest of the public. Only bids in compliance with the provisions of the specifications will be considered.

#### NORTHWEST SPECIAL RECREATION ASSOCIATION

## RETURN WITH YOUR BID RESPONSE

# Vehicle Bid Proposal Form 14 Passenger / 6 Wheelchair Positions with Side Wheelchair Lift

The Undersigned Bus Dealer declares that they have carefully examined the attached vehicle specifications and have made such investigations that are deemed necessary to determine the nature of the resources required to construct this vehicle. They agree that should this proposal be accepted, they will execute and enter into a contract with the Board of Directors of the Northwest Special Recreation Association (NWSRA) to construct and deliver to NWSRA for the vehicle set forth in the specifications for a 14 passenger or zero passenger and 6 wheelchair position shuttle bus. NWSRA may reject any and all bids on any basis without disclosure of a reason. The failure to make such a disclosure shall not result in the occurrence of any right, claim or cause of action by any unsuccessful bidders against NWSRA.

| 1. Chassis:                                   |    |
|---|----|
| 2. GVWR:                                      |    |
| 3. Engine:                                    |    |
| 4. Transmission:                              |    |
| 5. Battery System:                            |    |
| 6. Brakes: Front Type: Rear Type: ABS: Yes _  | No |
| 7. Tires: Size: Longevity:                    |    |
| 8. Dual Rear Tires: Yes No                    |    |
| 9. Steering:                                  |    |
| 10.Instruments:                               |    |
| 11.Drivers Console:                           |    |
| 12.Air Conditioning: Front BTU's: Rear BTU's: |    |
| 13.Heating: BTU's:                            |    |
| 14. Radio:                                    |    |
| 15. Floor Structure:                          |    |
| 16.Stanchions and Hand Rails: Yes No          |    |
| 17.Lighting:                                  |    |
| 18. Mirrors:                                  |    |
| 19.Wheelchair Lift:                           | -  |
| 20. Lift Doors:                               | -  |
| 21.Seating Capacity:                          | _  |

| 22.Flip Seats/Fold Away Se         |           |            |         |
|------------------------------------|-----------|------------|---------|
| 23. Seat Material: Driver: _       |           | Passenger: |         |
| 24. Vehicle Body:                  |           |            |         |
| 25. Passenger Interior Door        | s:        |            |         |
| 26. Windows and Emergend           | cy Exits: |            |         |
| 27. Reversing Proximity Ser        | nsor:     |            |         |
| 28.Rust Proofing:                  |           |            |         |
| Warranty / Chassis:                | Whom:     |            |         |
|                                    | How Long: | Years      | Miles   |
| Warranty / Exterior Body:          | Whom:     |            |         |
|                                    | How Long: | Years      | Miles   |
| Warranty / Interior Modifications: | Whom:     |            |         |
|                                    | How Long: | Years      | Miles _ |
| Warranty / Engine/Drive Train:     | Whom:     |            |         |
|                                    | How Long: | Years      | Miles   |
| Warranty / Rust Proofing:          | Whom:     |            |         |
|                                    | How Long: | Years      | Miles   |
| Warranty / Wheelchair Lift:        | Whom:     |            |         |
|                                    | How Long: | Years      | Miles   |

| Anticipated Delivery Dat                           | e:               |   |                    |  |  |
|--|------------------|---|--------------------|--|--|
| Name on Title:                                     | North            | orthwest Special Recreation Association                                     |                    |  |  |
| Cost of Vehicle:                                   | \$               |   |                    |  |  |
| Additional Charges:<br>(i.e. delivery, license, et |                  |   |                    |  |  |
| Total Cost:  | \$               |   |                    |  |  |
| Price includes all applica                         | able rebates and | may require assign  | ment by purchaser. |  |  |
| Company Name                                       |                  | Address   |                    |  |  |
| Authorized by (Please Print)                       |                  | Date  | Phone              |  |  |
| Authorized Signature                               |                  |   |                    |  |  |
| Please mail to:                                    | 3000 W. Cen      | egrillo<br>ent of Administrative<br>itral Road, Suite 205<br>lows, IL 60008 |                    |  |  |

Re: 2023 Bus Bid

#### NORTHWEST SPECIAL RECREATION ASSOCIATION

3000 W. Central Road, Suite 205, Rolling Meadows, IL 60008 847/392-2848 Phone \* 847/392-2854 Fax

#### SPECIFICATION FOR:

New Paratransit Shuttle Bus
14 Passengers / 6 Wheelchair Positions with Side Wheelchair lift

#### Scope

It is the intention of this specification to describe a vehicle of substantial and durable construction in all respects.

#### General

This specification is written around specific needs of this agency. With the intent to standardize certain components, therefore, in numerous places we have named specific brands of components. This has been done to establish a certain standard of quality. Other brands will be considered providing the vendor provides documentation clearly describing any variations to the bid specifications. Such request must meet or exceed the specifications called for in this bid document. The determination of NWSRA regarding any such request as far as accepting or denying said request, will be final.

#### **Materials**

All materials used in conversion of the bus shall conform in all respects to American Society of Testing Materials, Society of Automotive Engineers or similar association standards.

#### Capacity

Vehicle must be able to accommodate the following loads.

- 1. With no wheelchairs on board, 14 seated passengers plus the driver.
- 2. Up to 6 wheelchairs and zero seated passengers plus the driver.

Note: Unit must not require a CDL license to operate.

#### **Delivery**

Estimated time of delivery is requested with bid.

It is the intent of the NWSRA to purchase two units that meets the following specifications and requirements.

Deviations from specifications must contain a detailed description addressing variances and documentation to support reason why alternate should be considered as equal.

## **RETURN WITH YOUR BID RESPONSE**

## **Bid Compliance Form**

#### SPECIFICATION FOR:

14 Passengers / 6 Wheelchair Positions
Gas Powered Shuttle Bus

## 1. Scope and Classification

It is the intent of this specification to describe the requirements for the purchase of two (2) 14 passengers / 6 wheelchair bus with six forward facing doublefoldaway seats and two forward facing single flip seats. **The vehicle is not to exceed CDL requirements.** 

## 2. Requirements

THE COMPLIANCE SPACE MUST BE COMPLETED THROUGHTLY AND ACCURATELY. IF VENDOR CHECKS "NO" TO MEETING ANY OF THE SPECIFICATIONS, THEY MUST INCLUDE A WRITTEN EXPLANATION AND ATTACH IT TO THE BID.

| 3. | Dimensions:                           | Bid Compliance: Yes No |
|----|---------------------------------------|------------------------|
|    | Overall exterior length:              | 24' minimum            |
|    | Overall Exterior width (ex. mirrors): | 96" maximum            |
|    | Overall height:                       | 114" minimum           |
|    | Interior Height:                      | 78" minimum            |
|    | Interior width                        | 92" minimum            |
|    | Aisle width:                          | 18" minimum            |
|    | Ground to first step:                 | 12.5" maximum          |
|    | Step Width                            | 34" minimum            |
|    | Step Riser                            | 8" minimum             |
|    | Step Tread                            | 12" minimum            |
|    |                                       |                        |

- 4. Chassis

  a. Chassis with a 176-inch minimum wheelbase and a 4.56 to 1 rear axle ratio.
  - b. E450 Super Duty Chassis
  - c. Axle ratings: Front 4,600# minimum Rear 9,450# minimum
  - d. G.V.W.R. 14,500# minimum
  - e. Two (2) heavy-duty drive shaft guards.
  - f. Mud flaps front and rear.
  - g. Heavy duty front and rear shock absorbers.
  - h. Galvanized steel wheel wells.
  - Front chrome bumper, rear bumper powder coated steel with wrap around comers and chromegrille
  - i. Exterior rub rails.
  - k. Dual electric horns.
  - I. Front and rear stabilizer bars.

|     | m.<br>n.<br>o.                           | Headlights with audible alert. Front End alignment after body is assembled. 55 gallon minimum fuel tank.  |
|-----|--|---|
| 5.  | c.<br>d.                                 | Gas powered 6.8L V-10 220 amp alternator minimum Dual heavy-duty batteries. High/Fast idle control with Interlock and complete display. Engine alarm/shutdown.  |
| 6.  | Tra<br>a.                                | Insmission  Bid Compliance: Yes No  5-Speed electronic, automatic torque shift transmission with overdrive.   |
| 7.  |  | kes Bid Compliance: Yes No<br>Power Disc Front and Rear with 4 wheel ABS.   |
| 8.  | Wh<br>a.<br>b.                           |   |
| 9.  | Ste<br>a.                                | ering  Bid Compliance: Yes No  Power steering with tilt steering wheel and cruise control.  |
| 10. | a.                                       | Console <u>cannot</u> be mounted in overhead panels above windshield or driver's door.  Electronic speedometer, fuel gauge, oil pressure gauge, voltmeter, trip odometer, coolant temperature, high beam indicator, directional signals, and twelve volt power point on dash.                       |
| 11. | Hea                                      | Air conditioning: Dash and rear carrier with a minimum of 70,000 BTU with a dualcompressor system.  Two heaters that are a minimum of 35,000 BTU each that includes a shut off value. Mountedin rear of vehicle and control heaters on separate switches.   |
| 12. | Inte<br>a.<br>b.<br>c.<br>d.<br>e.<br>f. | Interior width of 92" and 78" interior height.  Aisle width 18"  Straight sidewalls for maximum passenger seating comfort.  1 1/2" grab rail parallel to entrance steps on both sides. Walker Style.  Stanchion and modesty panel driver's side.  5/8" pressure treated MarineTech plywood flooring |

- g. Grey Koroseal floor under seating area with ribbed center aisle and steps. Steps to have steptreads with yellow or white nosing and galvanized stainless steel stepwell.
- h. Yellow or White Standee Line and Standee signage.
- i. Track seating.
- j. Stainless steel stanchion curb side
- k. Modesty panel curb side.
- I. Interior mirror 6"x16"
- m. Main electrical switch panel with auto reset circuit breakers.
- n. Color-coded wiring harness in split loom.
- o. Step well entry door light and driver's dome light.
- p. Minimum two LED interior isle lights 14"x3".
- q. Interior lights to be door activated.
- r. AM/FM/CD player dash mounted.
- s. Minimum four speakers.
- t. Interior of the bus shall include a flat floor.
- u. Front overhead storage compartment with 2 thumb latches that <u>do not</u> require a key to open.

#### 13. Lift Features

| <b>Bid Compliance:</b> | Yes | No |  |
|------------------------|-----|----|--|
| •                      |     |    |  |

- a. Braun wheelchair lift that meets all ADA and FMVSS requirements to be installed in the rear of the bus. Lift shall be mounted on the right side rear of the vehicle.
- b. Lift shall be equipped with a transmission/parking brake interlock that prohibits vehicle from moving if lift doors are open.
- c. Double lift doors. Each door panel shall have a window.
- d. Lift doors shall meet the minimum requirements of ADA regarding clear opening height andwidth as it applies to buses in excess of 22 feet.
- e. Wheelchair 4 QRT 360 Retractor Tie Down Slide –n-Click and Q8-6326-A1 Combo Lap/Shoulder (6). Tie downs for Six (6) wheelchairs shall be provided for a total of 24 tie downs. These securement systems must meet all ADA requirements.
- f. Six (6) Q-Straint mesh storage pouches. One (1) pouch for each set of four (4) tie downs. Total of six (6).

## 14. Seating

| <b>Bid Compliance:</b> | Yes | No |  |
|------------------------|-----|----|--|
|------------------------|-----|----|--|

- a. Track Seating
- b. OEM driver's seat shall be covered in level #5 upholstery.
- c. Two (2) Freedman passenger seating 17" Mid-High Single Flip seats Level #5 fabric.
- d. Six (6) Freedman passenger seating 34" Double Forward Facing Foldaway seats- Level #5fabric.
- e. The seats shall be covered in level #5 upholstery. Color to be determined by NWSRA.
- f. Fourteen (14) 74" manual non-retractable standard size seat belts shall be provided.

| <ol><li>15. Exterior Bod</li></ol> | У |
|------------------------------------|---|
|------------------------------------|---|

- Bid Compliance: Yes\_\_\_\_ No \_\_ a. Body must meet all FMVSS requirements. Documentation must be included with bid.
- b. Aerodynamic fiberglass front cap.
- c. 5 piece ABS rear cap
- d. Steel cage construction.
- e. Fiberglass composite roof. Roof shall be seamless and one piece.
- Single piece vacuum-laminated structural panel assembly including steel frame, dense foam insulation, galvanneal steel exterior and grey vinyl-coated lauan interior panels.
- g. Fully Galvanized steel all structure frame and floor frame.
- h. Galvanized steel stepwell.
- Double T slider windows, rear glass window and side upper double T slider egress windows. All windows with climate control tint.
- j. Full view curb window.
- k. Exhaust routed to rear behind rear wheels on the street side.
- Side mounted exterior flat mirrors with convex mirror.
- m. Insulation in sidewalls, rear wall and roof.
- n. Galvanized steel wheel wells. Stainless steel wheel inserts and covers.
- o. Chrome Grille
- p. Exterior lights to be sealed and to include front marker lights, rear marker lights, rear brake, front turn signal, rear turn signal, rear license plate light, back-up lights and rear center brakelight.
- q. Drip rail over side windows and doors.
- r. Underbelly steel

b. Undercoating warranty.

- s. Electric 30" passenger door with external key switch.
- Rubber splash flares on rear wheel wells.

|     |  | Head Lamps to be Halogen Aero h<br>LED exterior lighting package  | eadlamps                                       |      |
|-----|--|---|--|------|
| 16. | a. 8<br>b. [<br>c. 7<br>d. 2<br>e. 7<br>f. 7<br>g. F<br>h. 1 | Signal vinyl sun visors, Driver's side air bag Tilt steering wheel 25 unit minimum unit first aid kit 10 lb. fire extinguisher Triangular reflector kit Reverse alarm Intermittent windshield wipers Fresnel lens, 11"x14" Back-up Camera | Bid Compliance: Yes                            | _ No |
| 17. |  | oroofing<br>Vehicle shall be protected agains   | Bid Compliance: Yes<br>t rust by undercoating. | _ No |

| 18. | Nev              | v Equipment Bid Compliance: Yes No  |
|-----|------------------|---|
|     | a.               | The equipment shall be the current, new and unused model built by the manufacturer. The equipment must be delivered completely assembled and ready for operation at the time of delivery.   |
|     | b.               | The vehicle shall be delivered with current State of Illinois inspection sticker.   |
|     | c.<br>d.         | The vendor must deliver vehicle at no charge. The vehicle shall be delivered with temporary license plates with the vendor ordering municipal license plates to be delivered within an appropriate time frame.  |
| 19. | Part<br>a.       | ts and Service  Bid Compliance: Yes No  The vendor must have authorized parts and service facility with a sufficient stock of spare parts and trained technicians to service the equipment bid. The vendor must pick-up and deliver the vehicle at no charge.   |
| 20. | Mar<br>a.        | The successful vendor shall, upon delivery, furnish one (1) complete set of service and partsmanuals, which may be written on CD-ROM that covers the equipment specified. Five hundred (\$500) dollars of the final payment will be withheld until all of the above are delivered.  |
| 21. | Wai<br>a.        | rranty  Bid Compliance: Yes No  The bidder shall attach to this bid a detailed warranty statement that covers the chassis, exterior body, interior, engine and drive train, other vehicle features and rust proofing.   |
|     | b.               | The vendor must pick up and deliver vehicle for service at no charge.   |
| 22. | Alte<br>a.<br>b. | If the vendor is bidding alternatives, a sheet is to be submitted for each alternative with detailed information on the alternative.  The mention of a particular manufacturer's brand name or number in the specifications does not imply that this particular product is the only one that will be considered for purchase. This reference is intended solely to designate the type or quality of merchandise that will be accepted unless otherwise noted. |

November 2023 Bus Bid 6

The Northwest Special Recreation Association may reject any and all bids

on any basis without disclosure of a reason. The failure to make such a disclosure shall not result in the occurrence of any right, claim or cause of

action by any unsuccessful bidders against the Northwest Special

C.

Recreation Association.

#### 23. Miscellaneous

Bid Compliance: Yes\_\_\_\_ No \_\_\_\_

- a. Vehicle shall meet or exceed all State and federal regulations in effect at time of manufacturing including ADA (Americans with Disabilities Act) requirements as they pertain to the type of vehicle being requested.
- b. Bidder shall submit proposed floor plan with bid.
- c. Bidder shall submit product catalogues on the vehicle being proposed as well as on the lift, air conditioning system and other pertinent equipment.
- d. Bidder shall be a licensed and bonded dealer in the state of Illinois. Submit copy of license with bid.